





Testifire 1000-001 Smoke and Heat Detector Tester - Head Only

Testifire 1000 Series is the worlds first multi-stimulus detector tester for smoke, heat and multi-stimulus detectors. Both smoke and heat stimuli are created in a single test unit, and delivered individually, or - for the first time - simultaneously; in whichever combination is required.

<u>Testifire</u> does this without using pressurised cans of gas or other hazardous goods. Stimuli (Smoke and Heat) are generated at the time of test using safe and patented processes fuelled by replaceable capsules.

Features & Benefits

- · Testing with one tool is faster and more productive
- · Less tools and equipment to carry around
- · Combined stimuli, delivers quicker activation times for combination detectors
- Unique Clearing Cycle provides rapid detector reset with no repeat alarms
- . Test times reduced by as much as 66%, saving labour
- · Fully reverse compatible with the Solo range of poles, battery batons and chargers.
- · Ideal in any application, Land, Air and Marine
- · A must have addition to any Professional Engineers Tool Suite
- Reduced carriage and shipping costs no pressurised cans of gas
 Reduced Test Stimuli Re-stocking and freight costs no pressurised cans of gas

Testifire 1000 - 001 Head Only Kit Includes:

- . 1 x Testifire 1000-001 Head Unit
- 1 x TS3-001 Smoke Capsule



Testifire 1001-001 Smoke and Heat Detector Test Kit

Testifire 1000 Series is the world's first multi-stimulus detector tester for smoke, heat and multi-stimulus detectors. Both smoke and heat stimuli are created in a single test unit, and delivered individually, or - for the first time - simultaneously; in whichever combination are required.

Testifire does this without using pressurised cans of gas or other hazardous goods. Stimuli (Smoke and Heat) are generated at the time of test using safe and patented processes fuelled by replaceable capsules.

The new SOLO770 Battery Baton is a higher capacity product (3000mAh). It allows greater efficiency both in the field and on site, as it gives more tests per battery, for the same charge time as before, but provided by the new SOLO727 Battery Charger.

The SOLO727 charger has also been improved and, while it provides the same functionality as before, it is now capable of enabling fast charging of the new, higher capacity battery batons from both mains power and in-vehicle outlets.

Features & Benefits:

- · Testing with one tool is faster and more productive
- · Less tools and equipment to carry around
- · Combined stimuli, delivers quicker activation times for combination detectors
- Unique Clearing Cycle provides rapid detector reset with no repeat alarms
- . Test times reduced by as much as 66% saving labour
- · Fully reverse compatible with the Solo range of poles, battery batons and chargers.
- · Ideal in any application, Land, Air and Marine
- · A must have addition to any Professional Engineers Tool Suite
- Reduced carriage and shipping costs no pressurised cans of gas
- · Reduced Test Stimuli Re-stocking and freight costs no pressurised cans of gas

Testifire 1001 Kit Contains:

- . 1 x Testifire 1000-001 Head Unit
- 1 x TS3-001 Smoke Capsule
- . 1 x Solo 770-001 Battery Baton
- 1 x Solo 727-001 Multi Voltage Fast Charger



Testifire 6001-001 Smoke and Heat Detector Test and Removal Kit - 6 Metres (20 Feet)

Testifire 1000 Series is the world's first multi-stimulus detector tester for smoke, heat and multi-stimulus detectors. Both smoke and heat stimuli are created in a single test unit, and delivered individually, or - for the first time - simultaneously; in whichever combination are required.

Testifire does this without using pressurised cans of gas or other hazardous goods. Stimuli (Smoke and Heat) are generated at the time of test using safe and patented processes fuelled by replaceable capsules.

The new SOLO770 Battery Baton is a higher capacity product (3000mAh). It allows greater efficiency both in the field and on-site, as it gives more tests per battery, for the same charge time as before, but provided by the new SOLO727 Battery Charger.

The SOLO727 charger has also been improved and, while it provides the same functionality as before, it is now capable of enabling fast charging of the new, higher capacity battery batons from both mains power and in-vehicle outlets.

Features & Benefits

- . Testing with one tool is faster and more productive
- · Less tools and equipment to carry around
- . Allows testing and removal of detectors up to 6 metres (20 feet) in height
- Combined stimuli, delivers quicker activation times for combination detectors
- · Unique Clearing Cycle provides rapid detector reset with no repeat alarms
- . Test times reduced by as much as 66% saving labour
- · Fully reverse compatible with the Solo range of poles, battery batons and chargers.
- · Ideal in any application, Land, Air and Marine
- A must have addition to any Professional Engineers Tool Suite
- · Reduced carriage and shipping costs no pressurised cans of gas
- · Reduced Test Stimuli Re-stocking and freight costs no pressurised cans of gas

Testifire 6001 - 001 Smoke and Heat Detector Testing and Removal Kit Includes:

- 1 x Testifire 1000-001 Head Unit, inside the 1000-001 box it will also include: 1 x TS3-001 Smoke Capsule, 1 x Solo 770-001 Battery Baton (option to buy second baton in the drop-down box) and 1 x Solo 727-001 Multi Voltage Fast Charger
- 1 x Solo 100-001 Fibreglass Telescopic Access Pole 4.5 metres (15 feet)
- 1 x Solo 200-001 Universal Detector Removal Tool
- . 1 x Solo 610-001 Protective Carrying / Storage Bag



Testifire 9001-001 Smoke and Heat Detector Test and Removal Kit - 9 Metres (30 ft)

(Now Including High Capacity Battery Batons)

Testifire 1000 Series is the world's first multi-stimulus detector tester for smoke, heat and multi-stimulus detectors. Both smoke and heat stimuli are created in a single test unit, and delivered individually, or - for the first time - simultaneously; in whichever combination are required.

Testifire does this without using pressurised cans of gas or other hazardous goods. Stimuli (Smoke and Heat) are generated at the time of test using safe and patented processes fuelled by replaceable capsules.

The new SOLO770 Battery Baton is a higher capacity product (3000mAh). It allows greater efficiency both in the field and on-site, as it gives more tests per battery, for the same charge time as before, but provided by the new SOLO727 Battery Charger.

The SOLO727 charger has also been improved and, while it provides the same functionality as before, it is now capable of enabling fast charging of the new, higher capacity battery batons from both mains power and in-vehicle outlets.

Features & Benefits

- . Testing with one tool is faster and more productive
- . Less tools and equipment to carry around
- . Allows testing and removal of detectors up to 9 metres (30 ft) in height
- . Combined stimuli, delivers quicker activation times for combination detectors
- . Unique Clearing Cycle provides rapid detector reset with no repeat alarms
- . Test times reduced by as much as 66% saving labour
- · Fully reverse compatible with the Solo range of poles, battery batons and chargers.
- · Ideal in any application, Land, Air and Marine
- · A must have addition to any Professional Engineers Tool Suite
- Reduced carriage and shipping costs no pressurised cans of gas
- · Reduced Test Stimuli Re-stocking and freight costs no pressurised cans of gas

Testifire 9001 - 001 Smoke and Heat Detector Testing and Removal Kit Includes:

- 1 x Testifire 1000-001 Head Unit, inside the 1001-001 box it will also include:1 x TS3-001 Smoke Capsule, 1 x Solo 770-001 Battery Baton (option to buy second baton in the drop-down box) and 1 x Solo 727-001 Multi Voltage Fast Charger
- 1 x Solo 100-001 Fibreglass Telescopic Access Pole 4.5 metres (15 ft)
- 3 x Solo 101-001 Fibreglass Extension Pole 1.13 metres (4 ft)
- 1 x Solo 200-001 Universal Detector Removal Tool
- . 1 x Solo 610-001 Protective Carrying / Storage Bag



TS3-6PACK-001 Replacement Testifire Smoke Capsules

Testifire generates its nontoxic smoke stimulus from a specially formulated, fluid supplied in a replaceable non-pressurised capsule. The number of tests from a capsule is dictated by the response time of the detectors under test and can range between 500 and 1,000 tests. Although there is much more to the comparison than material cost, typically this equates to between two and five times that produced by an aerosol.





TC3-6PACK-001 Replacement Testifire CO Capsules

Testifire's CO stimulus is unique because, unlike pressurised CO canisters, the CO is generated on demand from activated carbon supplied in capsule form with no pressure or stored CO. The number of tests from a capsule is dictated by the response time of the detectors under test and can range between 50 and 150 tests. Although there is much more to the comparison than material cost, typically this equates to between four and eight times that produced by an aerosol.



Testifire Spare 1048-0001 Inner Cup

Spare inner cup replacement for use with the Testifire Multi-Stimulus Detector Testers.



Testifire Spare 1049-001 Membrane Silicone Bellows

The silicone bellows is a replacement for the Testifire Multi-Stimulus Detector Testers.



Testifire 2000 Smoke, Heat & CO Testing

Testifire 2000-001 Smoke, Heat and CO Detector Tester - Head Only

Testifire 2000 Series is the worlds first multi-stimulus detector tester for smoke, heat and CO fire detectors. Smoke, Heat and CO stimuli are created in a single test unit, and delivered individually, or - for the first time - simultaneously; in whichever combination is required.

Testifire does this without using pressurised cans of gas or other hazardous goods. Stimuli (Smoke, Heat and CO) are generated at the time of test using safe and patented processes fuelled by replaceable capsules.

Features & Benefits

- . Testing with one tool is faster and more productive
- · Less tools and equipment to carry around
- . Combined stimuli, delivers quicker activation times for combination detectors
- . Unique Clearing Cycle provides rapid detector reset with no repeat alarms
- . Test times reduced by as much as 66% saving labour
- · Fully reverse compatible with the Solo range of poles, battery batons and chargers.
- · Ideal in any application, Land, Air and Marine
- · A must have addition to any Professional Engineers Tool Suite
- · Reduced carriage and shipping costs no pressurised cans of gas
- · Reduced Test Stimuli Re-stocking and freight costs no pressurised cans of gas



Testifire 2001-001 Smoke, Heat and CO Detector Test Kit

Testifire 2000 Series is the world's first multi-stimulus detector tester for smoke, heat and multistimulus detectors. Both smoke and heat stimuli are created in a single test unit, and delivered individually, or - for the first time - simultaneously; in whichever combination are required.

Testifire does this without using pressurised cans of gas or other hazardous goods. Stimuli (Smoke, Heat and CO) are generated at the time of test using safe and patented processes fuelled by replaceable capsules.

The new SOLO770 Battery Baton is a higher capacity product (3000mAh). It allows greater efficiency both in the field and on site, as it gives more tests per battery, for the same charge time as before, but provided by the new SOLO727 Battery Charger.

The SOLO727 charger has also been improved and, while it provides the same functionality as before, it is now capable of enabling fast charging of the new, higher capacity battery batons from both mains power and in-vehicle outlets.

Features & Benefits

- · Testing with one tool is faster and more productive
- Less tools and equipment to carry around
- · Combined stimuli, delivers quicker activation times for combination detectors
- . Unique Clearing Cycle provides rapid detector reset with no repeat alarms
- Test times reduced by as much as 66% saving labour
- Fully reverse compatible with the Solo range of poles, battery batons and chargers.
- . Ideal in any application, Land, Air and Marine
- · A must have addition to any Professional Engineers Tool Suite
- · Reduced carriage and shipping costs no pressurised cans of gas
- Reduced Test Stimuli Re-stocking and freight costs no pressurised cans of gas



Testifire 6201-001 Smoke, Heat and CO Detector Test and Removal Kit - 6 Metres (20 ft)

Testifire 2000 Series is the world's first multi-stimulus detector tester for smoke, heat and CO fire detectors. Smoke, heat and CO stimuli are created in a single test unit, and delivered individually, or - for the first time - simultaneously; in whichever combination are required.

Testifire does this without using pressurised cans of gas or other hazardous goods. Stimuli (Smoke, Heat and CO) are generated at the time of test using safe and patented processes fuelled by replaceable capsules.

The new SOLO770 Battery Baton is a higher capacity product (3000mAh). It allows greater efficiency both in the field and on site, as it gives more tests per battery, for the same charge time as before, but provided by the new SOLO727 Battery Charger.

The SOLO727 charger has also been improved and, while it provides the same functionality as before, it is now capable of enabling fast charging of the new, higher capacity battery batons from both mains power and in-vehicle outlets.

Features & Benefits

- · Testing with one tool is faster and more productive
- · Less tools and equipment to carry around
- . Allows testing and removal of detectors up to 6 metres (20 ft) in height
- Combined stimuli, delivers quicker activation times for combination detectors
- . Unique Clearing Cycle provides rapid detector reset with no repeat alarms
- · Test times reduced by as much as 66% saving labour
- Fully reverse compatible with the Solo range of poles, battery batons and chargers.
- · Ideal in any application, Land, Air and Marine
- · A must have addition to any Professional Engineers Tool Suite
- · Reduced carriage and shipping costs no pressurised cans of gas
- · Reduced Test Stimuli Re-stocking and freight costs no pressurised cans of gas



Testifire 9201-001 Smoke, Heat and CO Detector Test and Removal Kit - 9 Metres (30 ft)

(Now Including High Capacity Battery Batons)

Testifire 2000 Series is the world's first multi-stimulus detector tester for smoke, heat and CO fire detectors. Smoke, heat and CO stimuli are created in a single test unit, and delivered individually, or - for the first time - simultaneously; in whichever combination are required.

Testifire does this without using pressurised cans of gas or other hazardous goods. Stimuli (Smoke, Heat and CO) are generated at the time of test using safe and patented processes fuelled by replaceable capsules.

The new SOLO770 Battery Baton is a higher capacity product (3000mAh). It allows greater efficiency both in the field and on site, as it gives more tests per battery, for the same charge time as before, but provided by the new SOLO727 Battery Charger.

The SOLO727 charger has also been improved and, while it provides the same functionality as before, it is now capable of enabling fast charging of the new, higher capacity battery battons from both mains power and in-vehicle outlets.

Features & Benefits

- Testing with one tool is faster and more productive
- · Less tools and equipment to carry around
- · Allows testing and removal of detectors up to 9 metres (30 ft) in height
- · Combined stimuli, delivers quicker activation times for combination detectors
- . Unique Clearing Cycle provides rapid detector reset with no repeat alarms
- Test times reduced by as much as 66% saving labour
- Fully reverse compatible with the Solo range of poles, battery batons and chargers.
- · Ideal in any application, Land, Air and Marine
- · A must have addition to any Professional Engineers Tool Suite
- Reduced carriage and shipping costs no pressurised cans of gas
- · Reduced Test Stimuli Re-stocking and freight costs no pressurised cans of gas

For more information on these products, please contact us:



T: 00353 47 86274 / 00353 47 86663

E: Sales@irishsafetysystems.ie